

ORIGINAL

APPLICATION FOR PERMIT

TO APPROPRIATE THE PUBLIC WATERS OF THE STATE OF NEVADA

Date of filing in State Engineer's Office: MAY 14 1959

Returned to applicant for correction: JUL 1 1959

Corrected application filed

Map filed

The applicant S. Howard McQueary and Robert Connolly
of Ruby Valley, County of Elko
State of Nevada, hereby make application for permission to appropriate the public
waters of the State of Nevada, as hereinafter stated. (If applicant is a corporation, give date and place of incorpora-
tion; if a copartnership or association, give names of members.)

1. The source of the proposed appropriation is Artesian Well
Name of stream, lake or other source.
2. The amount of water applied for is 4.48 gal/min. or .01 second-feet.
One second-foot equals 448.83 gals. per min.
(a) If stored in reservoir give number of acre-feet _____ acre-feet.
3. The water to be used for Stock Watering
Irrigation, power, mining, manufacturing, domestic, or other use.
4. If use is for:
 - (a) Irrigation (state number of acres to be irrigated) _____
 - (b) Stockwater (state number and kinds of animals to be watered) 500 cattle
 - (c) Other use (describe fully under "No. 11. Remarks") _____
 - (d) Power:
 - (1) Horsepower developed _____
 - (2) Point of return of water to stream _____
5. The water is to be diverted from its source at the following point: _____
Describe as being within a 40-acre subdivision of public survey, and by course and distance to a section corner. If on unsurveyed land, it should be stated.
6. Place of use Approximately NE $\frac{1}{4}$ SE $\frac{1}{4}$ Sec. 29, T. 29 N., R. 58 E.
Describe by legal subdivision, if on unsurveyed land it should be so stated.
Land is unsurveyed as it is in the riparian right land of
Franklin Lake
7. Use will begin about 1 January and end about 31 December, of each year.
Month Month
8. Description of proposed works. (Under the provisions of NRS 535.010 you may be required to submit plans and specifications of your diversion or storage works.) A 3000 gallon storage and
drinking tank will be installed at the well
State manner in which water is to be diverted, whether by dam or other works, whether through pipes, ditches, flumes; or other conduits.

9. Estimated cost of works.....\$400.00
10. Estimated time required to construct works.....One week
11. Remarks.....At present we have storage facilities installed for
.....1000 gal., but will replace with bigger storage before
.....October 1959.

Compared.....Applicant s/ Howard L. McQueary
s/ Robert P. Connolly
By.....

OF STATE ENGINEER

This is to certify that I have examined the foregoing application, and do hereby grant the same, subject to the following limitations and conditions:

The amount of water to be appropriated shall be limited to the amount which can be applied to beneficial use, and not to exceed.....cubic feet per second.

Actual construction work shall begin on or before.....

Proof of commencement of work shall be filed before.....

Work must be prosecuted with reasonable diligence and be completed on or before.....

Proof of completion of work shall be filed before.....

Application of water to beneficial use shall be made on or before.....

Proof of the application of water to beneficial use shall be filed on or before.....

Map in support of proof of beneficial use shall be filed on or before.....

Commencement of work filed.....

Completion of work filed.....

Proof of beneficial use filed.....

Cultural map filed.....

Certificate No.....Issued.....

Recorded.....Bk.....Page.....

WITNESS MY HAND AND SEAL this.....day

of.....

State Engineer.

218 (Rev.) Cancelled OCT 20 1959 because of.....

refile corrected application within statutory time

Edmund A. Muth
State Engineer